




DR.
Dura Fix
COMPLETE TILE FIXING SOLUTION

**BEST
QUALITY**



**EASY TO
USE**



**COST
EFFECTIVE**





TILE ADHESIVE | GROUTS | CLEANERS

EXOTIC GROUT SHADES

101 Ivory		207 Mayan Red	
102 Almond		208 Sable / Brown	
103 Silk		290 Mocha	
104 Beige		210 Terracotta	
105 Lt. Camel		211 Signal Red	
106 Antique White		301 Sky Blue	
107 Parchment		302 Alpine Blue	
108 Sand Stone		303 Sapphire	
109 Sterling Silver		304 Aquamarine	
110 Golden Yellow		305 Dark Green	
111 Golden Brown		306 Silver Shadow	
201 Marble Beige		307 Smoke Grey	
202 Spectra Pink		308 Slate Grey	
203 Dusty Rose		309 Platinum	
204 Rust		310 Midnight Black	
205 Quarry Red		311 White	
206 Burgandy			

FILL YOUR FAVOURITE COLOUR





CONTENT

DR. Dura Fix Polymer Modified Adhesive

DR. Dura Fix Silver Star Tile Adhesive	1
DR. Dura Fix Gold Star Tile Adhesive	1
DR. Dura Fix Diamond Star Tile Adhesive	2
DR. Dura Fix Super Platinum / Stone Adhesive	2
DR. Dura Fix All Rounder PU Adhesive	3
DR. Dura Fix Polycryl 1051	3
DR. Dura Fix AAC Block Jointing Mortar	4

DR. Dura Fix Admixture

DR. Dura Fix 333 Admixture	5
DR. Dura Fix Grout Admixture	5

DR. Dura Fix Grout

DR. Dura Fix Cementitious Grout (Unsanded)	6
DR. Dura Fix Cementitious Grout (Sanded)	6
DR. Dura Fix Polymer Modified Grout	8

DR. Dura Fix Joint Filler / Epoxy Adhesive

DR. Dura Fix Epoxy Joint Filler	7
DR. Dura Fix Epoxy Glitter	7
DR. Dura Fix 369 Epoxy Anchor Adhesive	8

DR. Dura Fix Tile Bonder

DR. Dura Fix Tile Bonder	9
--------------------------	---

DR. Dura Fix Remover & Cleaner

DR. Dura Fix Cutfast Epoxy Remover	9
DR. Dura Fix Cutfast Tile Cleaner	10
DR. Dura Fix Cutfast C.P. Cleaner	10


DR. Dura Fix Spacer & Tools

DR. Dura Fix Spacer	11
DR. Dura Fix Trowel For Adhesive & Grout	11

INTRODUCTION

FLOOR INSTALLATION DETAIL

Dr. Dura Fix is one of the quality brand of TILE ADHESIVES, GROUTS, SEALER, WATERPROOFING, WALL PUTTY for interior & exterior and other building products to building solution. Quality assurance is an integral part of our manufacturing philosophy. The quality attribute are consistently ensured through rigorous application of advance technologies. Our plants has ISO & ISI certifications. We are also vendor for big multinational and national companies. We have a good network of dealers & distributors. We also cater projects. We design our products keeping in mind to protect natural resources and making eco friendly products. We have a team of professionals who can guide contractors for application of our products. Our aim is to provide top quality products at competitive price to the customers. Our products are approved in CPWD, PWD & other Govt. Departments.



DR. Dura Fix Silver Star Tile Adhesive

DR. Dura Fix silver star is a polymer modified adhesive for installation of small to medium format tiles for floor & interior areas to improve performance and for exterior use fortify with DR. Dura Fix 93 crete admixture.

Advantages : Ideal for fixing tiles on floor. Meet type - 1 standard and ANSI 118.1 requirement.

Applications : Designed for internal floor applications.

Suitable surface : Cement plaster, brick masonry, ceramic tiles & stone, (mix with 93 mortar admixture) concrete and cement mortar bed.

Coverage : Approximately 55-60 sq. ft. / 20 Kg bag with a ¼" X ¼" (6mm X 6mm) square notched trowel for a bed thickness of 3mm.

Packaging : 20 Kg.

Colour : Grey & white.

Certification : ISI Type - 1, Meet ANSI A 118.1 T, EN/ISO C1T Classified



DR. Dura Fix Gold Star Tile Adhesive

DR. Dura Fix gold star is a wonderful mixture of cement, polymer, natural mineral and other aggregates to produce adhesive when mix with water. For installation of small & medium tile on wall and floor. For interior wall and exterior floor only. It is a fantastic product in single packaging with unique features and advantages. It is easy to apply and can be carried out by ordinary worker.

Advantages : Fixing this type of adhesive is recommended for both interior floor & wall application and for exterior floor application. ISI type - 2 requirement.

Applications : Designed for internal floor application.

Suitable surface : Cement mortar bed, cement plaster and cement terrazzo.

Coverage : Approximately 55-60 sq. ft./ 20 kg bag with a ¼" X ¼" (6mm X 6mm) square notched trowel for a bed thickness of 3mm.

Colour : Grey & white.

Packaging : 20 Kg.

Certification : ISI Type - 2, Meet ANSI A 118.1 T, EN/ISO C2T Classified



DR. Dura Fix Diamond Star Tile Adhesive

DR. Dura Fix diamond star is a suitable for tiles and stone on exterior wall substrate like plaster or concrete. It is suitable for tiles like ceramic, clay, basalt, vitrified, glass mosaic porcelain tiles and all natural stones. When mixed with water it has a convenient open time, high adhesion and work ability. It meets ISI type - 3 standard.

Applications : Designed for exterior and interior.

Advantages : Superior bond and single component.

Suitable Surface : Concrete, concrete masonry, cement mortar bed, cement plaster, ceramic tiles and stones brick masonry.

Packaging : 20 Kg.

Colour : Grey & white.

Coverage : Approximately 55-60 sq. ft. / 20 Kg bag with a 1/4" X 1/4" (6mm X 6mm) square notched trowel for a bed thickness of 3mm.

Certification : ISI Type - 3, Meet ANSI A 118.4 ET, EN/ISO C2TES1 Classified



DR. Dura Fix Super Platinum /Stone Adhesive

DR. Dura Fix platinum star is a premium wall & floor thin set adhesive to be mixed with water or latex for installation of medium, large format tile, vitrified tiles, marble and stone on floors & walls. When mixed with 93 crete admixture to improve performance or with DR. Dura Fix 3333 flexible admix for use in plywood applications.

Applications : For interior & exterior floor and wall areas.

Advantages : Meet type - 4 requirement, high strength, extended open time for fixing of ceramic tile on floor and wall.

Suitable surface : Cement plaster, cement mortar bed, concrete, on ceramic tile and stone (when mixed with DR. Dura Fix 93 mortar admix) brick masonry & cement terrazzo.

Coverage : Approximately 55-60 sq. ft. / 20 Kg bag with a 1/4" X 1/4" (6mm X 6mm) square notched trowel for a bed thickness of 3mm.

Packaging : 20 Kg.

Colour : Grey & white.

Certification : ISI Type - 4, Meet ANSI A 118.4 ET, EN/ISO C2TES2 Classified



DR. Dura Fix All Rounder PU Adhesive

DR. Dura Fix all rounder PU adhesive is a two component, modified polyurethane adhesive designed for the installation of ceramic tile, vitrified tile, metal tile, glass tile, agglomerates, glass mosaic tile and natural stone on any substrates. It is highly elastic, thixotropic and suitable to lay water sensitive tiles & stones on highly expandable, deformable, absorbent and non-absorbent substrates.



Applications : For installation of all type of tiles & stones.

Advantages : It can be used on various types of surface.

Packaging : 8 Kg. (Part-A 7.5 Kg. , Part-B 500 Gm.) & 4 Kg. (Part-A 3.750 Kg. , Part-B 250 Gm.)

Colour : White.

Certification : Approved 15477 : 2019 , Type - 5, Meet ANSI A 118.4 ET, EN : 12004 & ISO : 13007 - C2TES2.

DR. Dura Fix Polycryl 1051

It is a polymer modified liquid readymade adhesive. No need to add anything. Designed for installation of tiles on most dry wall boards & cement base surface free from dust and loose particle. Tiles such as glass mosaic ceramic tile, vitrified tile and natural stone can be easily fixed with polycryl 1051. It is a single component adhesive which is ready to use.

Applications : Cement mortar bed, plywood, gypsum wall board, calcium silicate board and concrete bison panel board.



Precaution : • All cement base surface should have been cured as per standard practice and shall be dry for tilling.

- Consult cement backer board manufacturer for specific installation recommendation and to verify acceptability for exterior use.
- Not for use on metal & plastic substrates.

Coverage : Approx 60 sq. ft. per 20 Kg unit with $\frac{1}{4}$ " x $\frac{1}{4}$ " (6mm x 6mm) square notched trowel.

Packaging : 5 Kg., 10 Kg. & 20 Kg.

Colour : Off white.



DR. Dura Fix AAC Block Jointing Mortar

DR. Dura Fix AAC block jointing mortar is a ready to mix blend of carefully prepared raw materials, portland cement and other graded aggregates. Designed for use with water to produce high strength mortar which helps in providing mechanical bond as well as excellent adhesion between the blocks.



Advantages :

- Ready to use, Just add water.
- Provides excellent adhesion between two blocks.
- Reduces the time required for mounting the blocks.
- No curing required after blocks work is done.
- Shocks and impact resistant.

Area of applications : It is recommended for fixing all type of autoclaved aerated concrete (AAC) block.

- Concrete blocks.
- Cement mortar blocks.
- Concrete hollow blocks and bricks.
- Cellular concrete blocks.

Coverage : Approximately 100 sq. ft. per 50 Kg bag when used at 2-3mm bed thickness. Coverage is based on smoothness & evenness of the surface, size of blocks used and the thickness of mortar used. A general guideline for coverage of mortar is given when used with 25% water added to powder.

Packaging : 30 Kg. & 50 Kg.

Colour : Grey.

Certification : ISI Type - 2, Meet ANSI A 118.1 T, EN/ISO C2T Classified



DR. Dura Fix 333 Admixture

DR. Dura Fix 333 admixture is a concentrate polymer which is diluted with water on site & can be mixed with cement, sand, adhesive or any cement plaster, coating mortar beds and screed. It improves the strength, can be used in interior & exterior as well as under plaster and screed. It can also be used in underwater applications.



Advantages : Increases comprehensive strength, flexibility, durability and water resistant.

Packaging : 5 Ltr., 20 Ltr. & 200 Ltr.

Feature : Can also be used as primer for dry wall board for tiling and screed.



DR. Dura Fix Grout Admixture

DR. Dura Fix grout admixture is a polymer modified mixed with other chemicals to produce liquid admixture which when mixed with sanded & unsanded grout gives high strength non porous grouts, which exceeds the strength of normal grout & makes grout water repellent, flexible and non porous.

Applications : It improves the performance of cement grout.

Advantages : Colour fast, flexible, comprehensive strength, shock & chemical resistant, reduced water absorption and easy to clean.

Packaging : 100 ML., 200 ML., 400 ML., 5 Ltr. & 20 Ltr.

Coverage : Varies by application.



DR. Dura Fix Cementitious Grout (Unsanded)

DR. Dura Fix cementitious grout is a polymer modified grout which is used for filling tile joints of 1mm to 3mm in both interior and exterior area uses. It is recommended for ceramic, vitrified, non vitrified tiles and stones.

Applications : Residential, commercial, institution, hospital and school.

Advantages : Easy maintenance, non shrinking, non cracking for tile joint of 1-3mm, hard, durable and economic.

Mixing ratio : Use approximately 400 ML. of water or DR. Dura Fix grout admixture for 1 Kg of grout.

Coverage : Varies with tile size and grout width.

(Tile Length + Tile Breadth) X Tile Thickness X Joint Width X Specific Gravity = Kg/sq. mtr
Specific Gravity = 1.75

(Tile Length + Joint Width) (Tile Breadth + Joint Width)

Packaging : 1 Kg., 10 Kg. & 20 Kg.

Colour : Available in all colour as per shade card.

Certification : Exceed ANSI A 118.6



DR. Dura Fix Cementitious Grout (Sanded)

A factory prepared mixture of portland cement, polymer and aggregates for filling of joints 3 to 12mm for non absorbent tiles. For interior & exterior areas. It is durable, hard, colour fast and economical.

Applications : Residential, commercial and external facades.

Advantages : For tile joints 3-12mm, uniform, colour, hard durable and economical.

Mixing ratio : Use approximately 400 ML. of water or DR. Dura Fix grout admix for 1 Kg of grout.

Coverage : Varies with tiles size and grout width.

(Tile Length + Tile Breadth) X Tile Thickness X Joint Width X Specific Gravity = Kg/sq. mtr
Specific Gravity = 1.75

(Tile Length + Joint Width) (Tile Breadth + Joint Width)

Packaging : 1 Kg., 10 Kg. & 20 Kg.

Colour : Available in all colour as per shade card.

Certification : Exceed ANSI A 118.6



DR. Dura Fix Epoxy Joint Filler

It is a specially formulated to give high strength - stain free chemical resistant joint filler for wall & floor tiles and also for stones. It consists of three parts resin, hardener & filler. It is recommended for industrial & commercial applications, food processing unit, commercial kitchens and packaging plants.

Applications : Industrial food processing plants, beverage plants, battery plants and environments requiring high temperature & chemical resistant.

Advantages : Heavy duty industrial grout. A superior chemical with heat resistant, water cleanable, fast curing and highly resistant to bacterial attacks.

Coverage :

$(\text{Tile Length} + \text{Tile Breadth}) \times \text{Tile Thickness} \times \text{Joint Width} \times \text{Specific Gravity} = \text{Kg/sq. mtr}$
 $\text{Specific Gravity} = 1.75 (\text{Tile Length} + \text{Joint Width}) (\text{Tile Breadth} + \text{Joint Width})$

Packaging : 1 Kg., 5 Kg. & 10 Kg.

Factory proportioned consisting of three conveniently packed components – hardener (Part A), resin (Part B) and coloured filler powder (Part C).

Certification : Meets ANSI A 118.3

Available : 2 Part / 3 Part.



DR. Dura Fix Epoxy Glitter

It is a sparkling epoxy grout for wall & floor design to enhance the look of tile joints. It is suitable to use with ceramic vitrified, glass mosaic tiles and natural stones. It is a combination of 3 components resin, hardener and filler. It has properties of stain resistant and chemical resistant.

Applications : Restaurant, hotels, kitchens, bathroom, lobbies, swimming pools and showrooms.

Packaging : 1 Kg., 5 Kg. & 10 Kg.

It consists of three conveniently packed components hardener, resin (Part A & Part B) and glitter coloured filler powder (Part C).

Colour : Available in 15 colours.

Coverage :

$(\text{Tile Length} + \text{Tile Breadth}) \times \text{Tile Thickness} \times \text{Joint Width} \times \text{Specific Gravity} = \text{Kg/sq. mtr}$
 $\text{Specific Gravity} = 1.75 (\text{Tile Length} + \text{Joint Width}) (\text{Tile Breadth} + \text{Joint Width})$

Certification : Meets ANSI A 118.3

Available : 2 Part / 3 Part.



DR. Dura Fix Polymer Modified Grout

It is a polymer modified grout when mixed with other chemicals aggregates to give high strength and non porous grout which exceeds strength of normal grout to make water repellent, flexible & non porous.

Applications : Easy to install, flexible & non porous.

Advantages : Fast colour, shock resistant, reduce water absorption and easy to clean.

Packaging : 1 Kg.

Coverage : Varies according to application.

Available shades : White, ivory, brown, black and other shades on order.



DR. Dura Fix 369 Epoxy Anchor Adhesive

DR. Dura Fix epoxy anchor adhesive is a two component high strength on spot fixing epoxy adhesive for fixing marble, stones slabs on wall and other heavy tiles. Ideal for external facades.

Advantages : Permanent bond, durable, shock and vibration resistance, no clamps, no mechanical anchor needed.

Packaging : Available in 5 Kg. & 10 Kg. pail (normal & fast setting

Colour : Off white, can be coloured with pigment.



DR. Dura Fix Tile Bonder

DR. Dura Fix tile bonder is a single component when mixed with cement it gives ultimate strength for fixing tile on wall & floor. Recommended for interior & exterior area uses.

Applications : For installation of all type of tiles on wall & floor.

Advantages : It gives cement flexibility & water curing properties.

Suitable surface : It can be applied on cement plaster, stones marble & chip flooring.

Coverage : It can vary according to surfaces.

Methods for use :

A) 50 Kg. Cement : 300 Gm. DR. Dura Fix tile bonder

B) 25 Kg. Cement : 25 Kg. sand : 300 Gm. DR. Dura Fix tile bonder.

Packaging : 300 Gm. & 1 Kg.

Colour : White.



DR. Dura Fix Cutfast Epoxy Remover

DR. Dura Fix epoxy cutfast remover is a chemicals based cleaner which can be used to remove epoxy grout and it can also remove epoxy adhesive, haze from tiles, hard water deposits and other hard stains from tile & stone surface. Cutfast can be used in interior as well as exterior applications.



Applications : On epoxy surface.

Advantages : Fast acting, non-corrosive, easy to use and economical.

Packaging : 500 Ml. & 1 Ltr.

Coverage : 250-2500 sq. litre depending on porosity of the surface.

Precaution : Chemical cleaners may leave a mark on the surface and also may damage surfaces. So apply small quantity of cleaners first to check the surfaces.



DR. Dura Fix Cutfast Tile Cleaner

It is a powerful heavy duty cleaner for ceramic wall & floor tiles . It removes tough stains and other type of stains. It can be used for daily maintenance, also suitable for cleaning effectively and easy to use.

Applications : Interior & exterior areas, kitchens, bathroom and counter tops.

Advantages : Fast acting, non-corrosive, easy to use and economical.

Packaging : 1 Ltrs., 5 Ltrs. & 20 Ltrs. can.

Coverage : 15-50 sq. ft. per litre depending on porosity of the surface.

Precaution : Acid cleaner may leave mark on surface and also may damage surfaces.



DR. Dura Fix Cutfast C.P. Cleaner

It is an effective cleaner designed for cleaning C.P fittings & sanitary ware. This unique product removes stubborn water stain and hard scaling which develops due to hard water. Must clean with ample water after use of cleaner.

Applications : All types of C.P. fittings & sanitary ware.

Advantages : Fast acting, easy to use and cut hard water stains.

Packaging : 250 ML., 500 ML., 1 Ltr. & 5 Ltr.

Precaution : Cleaner may leave a mark on the surface and also may damage. So after using tap cleaner, immediately wash with ample water .



DR. Dura Fix Spacer

DR. Dura Fix spacers is made up of heavy duty plastic which is available in various size and thickness e.g 2mm, 3mm, 4mm, 5mm, 6mm, 8mm and 10mm.


Applications : Ceramic tiles, vitrified tiles and other type of tiles.

Advantages : High accuracy and easy to use.

Packaging : 100 & 1000 pieces.



DR. Durafix Trowel For Adhesive & Grout



QUALITY ASSURANCE



**DR.
Dura Fix**
COMPLETE TILE FIXING SOLUTION

DR. Durafix

Website : dr.durafix.com

E-mail : dr.durafix@gmail.com

Toll Free : 1800 111 818